

	Type	Hits	Search Text	DBs
1	BRS	24	(method\$1 or function\$1) with (open\$6 or access\$6) with (resource adj file\$1)	USPAT; US-PGPUB
2	BRS	55	(method\$1 or function\$1) with (use\$6) with (resource adj file\$1)	USPAT; US-PGPUB
3	BRS	0	(resource adj exception\$1) same (resource adj file\$1)	USPAT; US-PGPUB
4	BRS	35	resource adj exception\$1	USPAT; US-PGPUB
5	BRS	2870	(method\$1 or function\$1) with (open\$6) with file\$2	USPAT; US-PGPUB
6	BRS	1	(method\$1 or function\$1) with (open\$6) with file\$2 with scan\$7 with code\$1	USPAT; US-PGPUB
7	BRS	77	(method\$1 or function\$1) with (open\$6) with file\$2 with scan\$7	USPAT; US-PGPUB
8	BRS	0	((method\$1 or function\$1) with (open\$6) with file\$2 with scan\$7) same exception\$1	USPAT; US-PGPUB
9	BRS	50	((method\$1 or function\$1) with scan\$7) same ((open\$6) adj2 file\$2)	USPAT; US-PGPUB
10	BRS	78	((open\$6) adj2 file\$2) same exception\$6	USPAT; US-PGPUB
11	BRS	257	resolv\$7 near resource\$5	USPAT; US-PGPUB
12	BRS	0	resolv\$7 near resource\$5 with refrenc\$7	USPAT; US-PGPUB
13	BRS	257	resolv\$7 near resource\$5	USPAT; US-PGPUB
14	BRS	174	resolv\$7 near resource\$5	USPAT
15	BRS	2	(resolv\$7 near resource\$5) same (open\$7 with (librar\$7 or file\$1 or resource\$1))	USPAT
16	BRS	2	(resolv\$7 near resource\$5) same (open\$7)	USPAT

	Type	Hits	Search Text	DBs
17	BRS	40	(resolv\$7 near resource\$5) same (access\$7)	USPAT
18	BRS	0	((search\$6 or scan\$6) with code\$1) same ((function\$1 or method\$1 or command\$1) with open\$7 with librar\$7)	USPAT
19	BRS	14	((function\$1 or method\$1 or command\$1) with open\$7 with librar\$7) with (search\$6 or scan\$6)	USPAT
20	BRS	6	((function\$1 or method\$1 or command\$1) near open\$7 near librar\$7)	USPAT
21	BRS	274	((function\$1 or method\$1 or command\$1) with open\$7 with librar\$7)	USPAT
22	BRS	9	((function\$1 or method\$1 or command\$1) with open\$7 with librar\$7) with code\$1	USPAT
23	BRS	116	((function\$1 or method\$1 or command\$1) with access\$7 with librar\$7) with code\$1	USPAT
24	BRS	116	((function\$1 or method\$1 or command\$1) with access\$7 with librar\$7) with code\$1	USPAT
25	BRS	7	((function\$1 or method\$1 or command\$1) with access\$7 with librar\$7) same (code\$1 with (search\$7 or scan\$7))	USPAT
26	BRS	14805	(determin\$7) with (scan\$7 or read\$7) with code\$1	USPAT; US-PGPUB
27	BRS	313	(determin\$7) near code\$1 near (scan\$7 or read\$7)	USPAT; US-PGPUB
28	BRS	0	((determin\$7) near code\$1 near (scan\$7 or read\$7)) with function adj invocat\$7	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
29	BRS	0	((determin\$7) near code\$1 near (scan\$7 or read\$7)) same function adj invocat\$7	USPAT; US-PGPUB
30	BRS	0	((determin\$7) near code\$1 near (scan\$7 or read\$7)) same (invo\$9 near function)	USPAT; US-PGPUB
31	BRS	3	((determin\$7) near code\$1 near (scan\$7 or read\$7)) same ((execut\$7 or run\$7) near function)	USPAT; US-PGPUB
32	BRS	0	((determin\$7) near (more adj code\$1) near (scan\$7 or read\$7))	USPAT; US-PGPUB
33	BRS	11	((determin\$7) with (more adj code\$1) with (scan\$7 or read\$7))	USPAT; US-PGPUB
34	BRS	8	((determin\$7) near code\$1 near (scan\$7 or read\$7))and 717/\$.ccls.	USPAT; US-PGPUB
35	BRS	8	((determin\$7) near code\$1 near (scan\$7 or read\$7)) and 717/\$.ccls.	USPAT; US-PGPUB
36	BRS	0	(more adj code\$1) near (scan\$7 or read\$7) and 717/\$.ccls.	USPAT; US-PGPUB
37	BRS	2644	more adj code\$1	USPAT; US-PGPUB
38	BRS	0	(remain\$7 near code\$1) near (scan\$7 or read\$7) and 717/\$.ccls.	USPAT; US-PGPUB
39	BRS	35	(remain\$7 near code\$1) near (scan\$7 or read\$7)	USPAT; US-PGPUB
40	BRS	257	resolv\$7 near resource\$1	USPAT; US-PGPUB
41	BRS	257	resolv\$7 near resource\$1	USPAT; US-PGPUB
42	BRS	174	resolv\$7 near resource\$1	USPAT
43	BRS	7	(resolv\$7 near resource\$1) with execut\$7	USPAT

	Type	Hits	Search Text	DBs
44	BRS	1114	resolv\$7 near2 reference\$1	USPAT
45	BRS	157	(resolv\$7 near2 reference\$1) with execut\$7	USPAT
46	BRS	4	dynamic with load\$7 with resource\$1 with open\$6	USPAT
47	BRS	134	dynamic with load\$7 with resource\$1	USPAT
48	BRS	147	dynamic with link\$7 with resource\$1	USPAT
49	BRS	2	dynamic adj link\$7 with resource\$1 adj file\$1	USPAT
50	BRS	4	dynamic adj link\$7 same resource\$1 adj file\$1	USPAT
51	BRS	35	(resolv\$7 near resource\$1) and (resource adj file\$1)	USPAT
52	BRS	18	(search\$5 or scan\$5) with code with (function adj call\$1)	USPAT
53	BRS	96	link\$7 same resource\$1 adj file\$1	USPAT
54	BRS	40	link\$7 with resource\$1 adj file\$1	USPAT
55	BRS	9	5537596.URPN.	USPAT
56	BRS	11	("4604690"   "4623963"   "5210875"   "5247683"   "5257368"   "5257387"   "5261080"   "5311424"   "5325532"   "5327553"   "5355489") .PN.	USPAT
57	BRS	8	("4914571"   "5136690"   "5185860"   "5270919"   "5276789"   "5500934"   "5687367"   "5752022") .PN.	USPAT
58	BRS	7	5935210.URPN.	USPAT